

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2995167	@ad<"20000121"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 12:58
L2	4513	1 and keys! near3 (bank list store storage memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:20
L3	934	2 and matrix	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:15
L4	3	(@ad<"200001211" and 713/193. ccls.) and matri\$5 same base	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:15
L5	45	((@ad<"200001211" and 713/193. ccls.) and matri\$5) and bits	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:15
L6	891	@ad<"200001211" and 713/193. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:19
L7	160	((@ad<"200001211" and 713/193. ccls.) and (hash s-box)) and key with (generat\$5 schedul\$6)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:16
L8	345	6 and ("xor" logical adj operation add subtract invert)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:20
L9	502	3 and ("xor" logical adj operation add subtract invert)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:19
L10	30	8 and matrix	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:20
L11	502	9 and ("xor" logical adj operation add subtract invert)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:20
L12	4513	2 and keys! near3 (bank list store storage memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:20
L13	502	11 and matrix	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:20
L14	53	6 and matrix	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:20
S1	72	(@ad<"200001211" and 380/44. ccls.) and matri\$5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/20 10:35

S2	52	((@ad<"200001211" and 380/44. ccls.) and matri\$5) and bits	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:15
S3	1	"5825886".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/20 10:28
S4	12	(@ad<"200001211" and 380/44. ccls.) and matri\$5 same base	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:15
S5	28	@ad<"20000121" and key with generat\$6 and matrix same bits same rearrang\$4 same bits	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/20 11:05
S6	1	"3,506,783".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/20 11:01
S7	1	"9705720"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/20 11:05
S8	1	"5003596".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/20 11:05
S9	2990647	@ad<"20000121"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 08:44
S10	179	@ad<"20000121" and key adj selector	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 10:28
S11	49	s-box and key adj dependent	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 09:37
S12	0	(s-box and key adj dependent) and g^a	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 09:37
S13	24	(s-box and key adj dependent) and @ad<"20000121"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 10:00
S14	18	khufu and encrypt	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 10:01
S15	1	"5003597".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 10:02
S16	0	(@ad<"20000121" and key adj selector) and s-box	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 10:25
S17	5	(@ad<"20000121" and key adj selector) and key with dependent	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 10:26

S18	343	@ad<"20000121" and 380/44.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 10:28
S19	22	(@ad<"20000121" and 380/44.ccls.) and "xor" with key	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 11:00
S20	194	hash.ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 11:00
S21	102	hash.ti. and @ad<"20000121"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 11:00
S22	73	(hash.ti. and @ad<"20000121") and key	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 11:34
S23	20	(hash.ti. and @ad<"20000121") and key and (s-box encrypt\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 12:26
S24	2	("4944009" "5651069").PN.	USPAT	OR	ON	2004/06/27 12:17
S25	1	hash same s-box	USPAT	OR	ON	2004/06/27 12:18
S26	33	hash.ti. adj function.ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 12:26
S27	2	"5892829".URPN.	USPAT	OR	ON	2004/06/27 13:05
S28	44	hash same compress\$4 same ("xor" logical adj operation add subtract)	USPAT	OR	ON	2004/06/27 13:09
S29	35	(hash same compress\$4 same ("xor" logical adj operation add subtract)) and (bytes bits)	USPAT	OR	ON	2004/06/27 13:09
S30	4002732	@ad<"200001211"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 13:10
S31	35	((hash same compress\$4 same ("xor" logical adj operation add subtract)) and (bytes bits)) and @ad<"200001211"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 13:14
S32	9	@ad<"200001211" and transpos\$6 with (bits bytes) same hash	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 13:14
S33	4	("5671284" "5740251" "5751810" "5835600").PN.	USPAT	OR	ON	2004/06/27 13:17
S34	436	@ad<"200001211" and 380/44.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:16
S35	14	(@ad<"200001211" and 380/44.ccls.) and s-box	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 13:28

S36	11	@ad<"200001211" and key adj generat\$6 same s-box	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 13:28
S37	0	"20030086564".URPN.	USPAT	OR	ON	2004/06/27 13:32
S38	2	("5003597" "5351299").PN.	USPAT	OR	ON	2004/06/27 13:33
S39	24	"5511123".URPN.	USPAT	OR	ON	2004/06/27 13:35
S40	48	key.ti. and generator.ti.	USPAT	OR	ON	2004/06/27 13:41
S41	0	(key.ti. and generator.ti.) and s-box	USPAT	OR	ON	2004/06/27 13:35
S42	1	(key.ti. and generator.ti.) and hash	USPAT	OR	ON	2004/06/27 13:35
S43	2	key.ti. and schedul\$5.ti.	USPAT	OR	ON	2004/06/27 13:43
S44	10	key adj schedul\$5 and hash and s-box	USPAT	OR	ON	2004/06/27 13:43
S45	529	@ad<"200001211" and 380/46.ccis.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 14:26
S46	749	@ad<"200001211" and 380/28.ccis.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 14:25
S47	18	(@ad<"200001211" and 380/46.ccis.) and (@ad<"200001211" and 380/28.ccis.) and hash	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 14:25
S48	1	(@ad<"200001211" and 380/46.ccis.) and (@ad<"200001211" and 380/28.ccis.) and s-box	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 14:25
S49	9	(@ad<"200001211" and 380/46.ccis.) and (@ad<"200001211" and 380/28.ccis.) and compression	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 14:25
S50	4	(@ad<"200001211" and 380/46.ccis.) and (@ad<"200001211" and 380/28.ccis.) and transpos\$6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 14:25
S51	2311	@ad<"200001211" and 713/200.ccis.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 14:26
S52	381	(@ad<"200001211" and 713/200.ccis.) and (hash s-box)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 14:26
S53	237	((@ad<"200001211" and 713/200.ccis.) and (hash s-box)) and key with (generat\$5 schedul\$6)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/20 13:16
S54	4	(((@ad<"200001211" and 713/200.ccis.) and (hash s-box)) and key with (generat\$5 schedul\$6)) and decrease with (bit byte)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 14:27
S55	101	(((@ad<"200001211" and 713/200.ccis.) and (hash s-box)) and key with (generat\$5 schedul\$6)) and DES	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/27 14:27

S56	2995167	@ad<"20000121"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/16 15:37
S57	16588	S56 and bits with ("xor" logical adj operation add subtract)	USPAT	OR	ON	2004/12/16 16:02